



TA'LIMDA TABIIY FANLARNING FANLARARO
INTEGRATSIYASI

THE USE OF INTERACTIVE METHODS AND INNOVATIVE
TECHNOLOGIES IN ENTOMOLOGY LESSONS IN THE STUDY OF INSECT
MORPHOLOGY

Barnogul Abdulazizovna Khalilova
Ferghana State University, Uzbekistan

Annotation: *This article discusses innovative pedagogical technologies and ways of using them, mastering knowledge and mature skills, the role of various types of personality-oriented technologies based on the activation of students' activities and improving the efficiency of the educational process in the study of insect morphology of the subject of entomology in universities. The article is based on the idea that every activity should contribute to both the assimilation of new information and the formation of skills and processing of this information.*

Keywords: *Interactive methods, innovative technology, problem-based learning, case technology, differentiated and individual technology, collaboration technologies, elements of psychological training, developing critical thinking, activity activation, colloquium, efficiency, synectic method, mini-conferences and group discussions.*

Today, the teacher faces the task of training specialists who meet the requirements of the time and improving the education system. This requires our scientists and teachers to update textbooks in the field of education, taking into account the requirements of modernity, the introduction of innovative and pedagogical technologies in the educational process. Therefore, the role and importance of modern interactive methods and innovative technologies in the education process is very important. Pedagogical technologies and their application ensure the availability of assimilation of knowledge and mature skills. It should be noted that at the moment, the role of various types of personality-oriented technologies based on the activation of students' activities and improving the efficiency of the educational process has sharply increased, which involve the use of various forms and methods of organizing educational activities, allow to reveal the subjective potential of both the student and the teacher. These are, first of all, the use of active learning methods, dialogical forms of organizing seminars, elements of heuristics, the synectic method, mini-conferences and group discussions, educational simulation and business games, elements of psychological training,

TA'LIMDA TABIIY FANLARNING FANLARARO INTEGRATSIYASI

master classes, group and independent work, and much more. Innovative learning, as a process and result of educational and official activities, is focused on the formation of a person's readiness for dynamic changes in society, through the development of creativity. One of such innovative technologies is modular training.

The methodology of the modular system is based on the idea that every activity should contribute to both the assimilation of new information and the formation of skills and processing of this information. Thus, it is logical to use a block (modular) organization of the material supply. Namely: lecture (lesson of learning new material), seminar, research, independent work (lessons of improving knowledge, skills, skills), colloquium, (control lessons – intermediate control, lessons of accounting and evaluation of knowledge and skills, final control). Innovative technologies are not only a pedagogical approach to teaching a particular topic, but also innovations and changes in the activities of teachers and students, in the implementation of which interactive methods are mainly used. Interactive teaching methods are a special form of organization of cognitive activity, in which students in the learning process have the opportunity to understand and think about what they know and think and want to learn. The role of the teacher in interactive lessons partially leads to the orientation of students' activities to achieve the goals of the lesson. The use of pedagogical technologies in all areas of higher education, including problembased learning; technologies that develop critical thinking; modular technologies; collaboration technologies; differentiated and individual learning technology.[1]

The system of application of innovative pedagogical technologies in the process of education. Case technology - based on the problem situation on the topic, the student must find a way out of the problem situation or make the right decision. Before solving the problem, such activities as search, analysis, hypotheses using additional information, the use of theoretical knowledge and application in practice are carried out. Strategies used in the learning process.

- Increasing the knowledge base (search for information)
- Data analysis (business correspondence)
- Situational role-playing game
- Discussion

Instructions:

1. Enough to understand the essence of the keys.
2. Determine the factors that serve to find a solution to the problem.

TA'LIMDA TABIIY FANLARNING FANLARARO INTEGRATSIYASI

3. Identify the factor (or two factors) that are most relevant to the problem among the identified factors.

4. Try to justify your decision based on these factors

5. Express your opinion

Case resolution process:

1. Students discuss the essence of the matter, getting to know them.

2. Students identify factors that set the stage for problem solving.

3. The identified important factors that allow solving the problem are considered.

4. Students describe the most important factors based on the general opinion.

5. Opinions are analyzed, a general conclusion is made.

Of the above innovative technologies, I consider it expedient to use several technologies for effective teaching of the subject of entomology. The advantages of this application are as follows. For example, when studying the topic "Morphology of insects", the teacher gives a lecture on the topic using IT presentations as a visual aid. During the explanation of new material, special attention is paid to important points that need to be paid attention to. To consolidate the material, you can use work in groups or individually on cards, a blitz survey, a cluster, etc. Performing a practical task, students not only learn new material, but also the skills to use new knowledge. [1,4,5] The use of innovative technologies in the educational process increases the effectiveness of training. When creating educational technologies for disciplines, it is advisable to proceed from diversity, creativity, non-standard approaches, taking into account the specifics and patterns of each discipline. In this process, it is advisable to take into account the specifics of subjects, forms of education and topics. [2, 3,7]

Morphology of insects

Insects make up a special class (Latin name Insecta) in the arthropod type of animals (Arthropoda). Insects are closest to the classes of millipedes (Myriapoda) and crustaceans (Crustacea) and together with them form a natural group, isolated into a separate subtype of mandibular (Mandibulata). Insects, millipedes and crustaceans are united by such signs as the presence of one or two pairs of antennae and the transformation of three pairs of limbs following the antennae into oral organs, of which the upper jaws, or mandibles, are especially strongly developed. The body of insects is covered from the outside with a dense chitinized cuticle forming an external skeleton, or exoskeleton. The main functions of the exoskeleton

TA'LIMDA TABIIY FANLARNING FANLARARO INTEGRATSIYASI

are protective, biomechanical, barrier (prevents evaporation of water from the insect's body), support (internal outgrowths of the cuticle serve as a place of attachment of skeletal muscles). In the cuticle there are various pigments that provide a variety of insect coloration. Insect coloration can also be structural; in this case, the smallest cuticle plates on the surface of the body refract light, also providing a variety of coloration. The cuticle itself has a non-cellular structure and consists of three layers: the outer one - the epicuticula, and the exocuticula and endocuticula underlying it (combined into a procuticula); the cuticle is secreted by the hypodermis located under it, consisting of a single layer of cells. Various structures are also formed from hypodermic cells on the surface of the insect body: hairs, bristles, scales, external structures of mechano- and chemoreceptors, various hypodermal glands, etc. Insect growth occurs only at the larval stage and is accompanied by periodic molting: passing from age to age, insect larvae molt (in the imago stage, growth and molting occur only in primarywinged insects). In the process of molting, the endocuticle completely dissolves, and the old cuticle (the so-called larval skin, or exuvium) is discarded; at the same time, the hypodermic secretes a new cuticle. [1,8,9,14]

Complete the task: (Students work together with the teacher on drawings)

Work with drawings, drawings are distributed. (According to the scheme, students recognize insects by the general appearance and structure of the head The organs of vision are represented by complex and simple eyes – dorsal and lateral. Complex, or faceted, eyes (oculi), among one pair, are located on the sides of the head and consist of many (up to several hundred or even thousands) visual units, ommatidii, or facets. In this regard, some insects (dragonflies, male flies and bees) have eyes so large that they occupy most of the head. Compound eyes are present in most adult insects and in larvae with incomplete transformation from a subclass, with the exception of some groups of parasitic, cave species and inhabitants of anthills, in which they have disappeared for the second time. Of the representatives of the subclass of primiptera, only bristletails have compound eyes. Simple dorsal eyes, or ocelli, in a typical case, among three are arranged in the form of a triangle on the forehead and crown between complex eyes. Sometimes the middle eye disappears, and only two lateral ones remain, less often the disappearance of paired ones is observed while maintaining the middle eye. As a rule, eyes are found in adult, well-flying insects, but they are absent in many lepidoptera and diptera and are found in the larvae of mayfly dragonflies. Simple lateral eyes, or 11 stemmata, form

TA'LIMDA TABIIY FANLARNING FANLARARO INTEGRATSIYASI

two paired groups located on the sides of the head. The number of eyes varies from 6 to 30. They are inherent mainly in insect larvae with complete transformation; they are less common in adult insects devoid of faceted eyes (order podura, fan-winged, fleas, etc.). Antennae. Antennae, or antennae, are represented by one pair of segmented formations located on the sides of the forehead between or in front of the eyes in the antennal pits. They serve as organs of touch and smell. The tendril consists of a thickened main segment (scapus), a pedicellus (pedicellus) and a flagellum (flagellum). The structure of the antennae is diverse in individual species and groups, and this feature is used in the determination (diagnosis) of insects. Thus, bristle-like antennae with numerous segments, gradually thinning towards the top, are characteristic of representatives of the order cockroaches, the suborder long-whiskered in straight-winged, etc.; mace-shaped - with several thickened or expanded segments to the top, forming a mace - for representatives of the group of families of diurnal, or mace-whiskered lepidoptera; lamellar-mace-shaped - with a mace of plates elongated to one side - for May and other crickets, etc. Often the structure of the antennae is different in males and females of the same species. The number of antennal segments also varies depending on the type or age of insect larvae with incomplete transformation. So, in representatives of various suborders of the order equidoptera, they range from 3 segments in cicadas to 11 in some coccidae. The antennae of adult locusts consist of 33 segments, and in larvae the number of segments ranges from 13 to 23-26. [11,13,15]

Working with the table (we fill in the table with the information that we received during the lesson) The use of innovative technologies in the educational process increases the effectiveness of training. When creating educational technologies in disciplines, it is advisable to proceed from diversity, creativity, non-standard approaches, taking into account the specifics and patterns of each discipline. In this process, it is advisable to take into account the specifics of subjects, forms of education and topics.

TA'LIMDA TABIIY FANLARNING FANLARARO INTEGRATSIYASI

REFERENCES:

1. Замотайлов А. С. Девяткин А. М, Бедловская И. В. Энтомология. Краснодар, 2015 г.
2. Юлдашев Ж.Г., Усмонов С.А. Основы педагогической технологии. Т.: Учитель, 2004.-104 с.
3. Khalilovich G. K. et al. Eriosoma Lanigerum Hausm Juice Damage Properties And Effects Of Entomophagy Against It //Texas Journal of Multidisciplinary Studies. – 2022. – Т. 7. – С. 78-84.
4. Mirzakhililovich Y. M., Nabibullaevich K. F., Abdulazizovna K. B. Ecological geographical distribution of aphids (homoptera aphidinea, aphididae) in the fergana valley. – 2021.
5. Kizi M. I. B., Khasanbaevna R. D., Abdulazizovna K. B. USE AND PROTECTION OF WATER RESOURCES IN UZBEKISTAN: CURRENT STATE AND DEVELOPMENT PATHS //Достижения науки и образования. – 2021. – №. 3 (75). – С. 10-12.
6. Xalilovich, G. K., Mamatyusufog'li, M. A., Abdulazizovna, X. B., Maxammadzikirovna, G. O., & Tursunaliyevna, T. M. (2021). "The Impact of Environmental Pollution on The Variability Of Fruit Gardens And Soilkomomokomplexes (Fergana-Margilan-Quvasoy Industrial Node)". Journal of Contemporary Issues in Business & Government, 27(4).
7. Barnogul K., Khilola T. The essence of the biological education process, teaching printouts and legislation //Asian Journal of Multidimensional Research. – 2022. – Т. 11. – №. 4. – С. 129-133.
8. Abdulazizovna, K. B. (2022). Impact of environmental pollution on soil entomofauna on the example of the cities of fergana and kuvasay. Barqarorlik va yetakchi tadqiqotlar onlayn ilmiy jurnali, 2(12), 280-284.
9. Abdulazizovna, K. B. (2022). The use of interactive methods and innovative technologies in entomology lessons while studying insect morphology. International journal of social science & interdisciplinary research ISSN: 2277-3630 Impact factor: 7.429, 11(09), 113-117.
10. Abdulazizovna, K. B., & Rustamjanovna, Z. N. (2022). Education and personality in the context of globalization. INTERNATIONAL JOURNAL OF RESEARCH IN COMMERCE, IT, ENGINEERING AND SOCIAL SCIENCES ISSN: 2349-7793 Impact Factor: 6.876, 16(09), 21-26.



TA'LIMDA TABIIY FANLARNING FANLARARO INTEGRATSIYASI

11. Khalilova, B., & Abdurakhmonov, A. (2022). The need to develop environmental knowledge. *Asian Journal of Research in Social Sciences and Humanities*, 12(6), 119-124.

12. Abdulazizovna K. B. et al. Information technologies as a step to the development of society //international journal of research in commerce, it, engineering and social sciences ISSN: 2349-7793 Impact Factor: 6.876. – 2022. – T. 16. – №. 3. C. 73-77.

13. Abdulazizovna K. B. et al. Timely implementation of personal education measures in the context of globalization //international journal of research in commerce, it, engineering and social sciences issn: 2349-7793 impact factor: 6.876. – 2022. – T. 16. – №. 3. – C. 87-92.

14. Abdulazizovna K. B. et al. The significance of mathematical knowledge in solving problems in biology //international journal of research in commerce, it, engineering and social sciences ISSN: 2349-7793 Impact Factor: 6.876. – 2022. – T. 16. – №. 3. – C. 93-99.8.04.2023).

15. Abdulazizovna K. B. Меры воспитания личности в условиях глобализации //Та'lim fidoyilari. – 2022. – Т. 8. – С. 97-103.